



## DEBİMETRELER

FLOWMETERS  
CAUDALÍMETROS

**TÜRBİN DEBİMETRELER / TURBINE FLOWMETERS / CAUDALÍMETROS DE TURBINA****RAPID CHECK TÜRBİN  
DEBİMETRE - 20 BAR  
(AKIŞ ORANI: 10- 100 LT/MIN.)****RAPID CHECK TURBINE  
FLOWMETER - 20 BAR  
(FLOW RATE: 10- 100 LT/MIN.)****CAUDALÍMETRO DE TURBINA DE  
CONTROL RÁPIDO - 20 BAR  
(CAUDAL: 10- 100 LT/MIN.)**

KOD CODE - CÓDIGO	Özellikler Specifications Especificaciones	Bağlantı Connection - Conexión
POLRFF75231	Safir Rulman Sapphire Bearing Cojinete De Zafiro	S5 Dişi Segman Bağlantılı S5 Female Fork Connection Conexión De Horquilla Hembra S5
POLRFF75031	Seramik Rulman Ceramic Bearing Cojinete Cerámico	S5 Segman Bağlantılı S5 Female Fork Connection Conexión De Horquilla Hembra S5

**RAPID CHECK TÜRBİN  
DEBİMETRE - 50 BAR  
(AKIŞ ORANI: 10- 100 LT/MIN.)****RAPID CHECK TURBINE  
FLOWMETER - 50 BAR  
(FLOW RATE: 10- 100 LT/MIN.)****CAUDALÍMETRO DE TURBINA DE  
CONTROL RÁPIDO - 50 BAR  
(CAUDAL: 10- 100 LT/MIN.)**

KOD CODE - CÓDIGO	Özellikler Specifications Especificaciones	Bağlantı Connection - Conexión
POL00375908	Safir Rulman Sapphire Bearing Cojinete De Zafiro	Flanş Bağlantılı Flange Connection Conexión De Brida
POL00375804	Seramik Rulman Ceramic Bearing Cojinete Cerámico	Flanş Bağlantılı Flange Connection Conexión De Brida

**SENSÖR****SENSOR****SENSOR**

KOD CODE - CÓDIGO	Özellikler Specifications Especificaciones
POL41300399	Kare Dalga Square Wave Onda Cuadrada

## ELEKTROMANYETİK DEBİMETRELER ELECTROMAGNETIC FLOWMETERS / CAUDALÍMETROS ELECTROMAGNÉTICOS

**ELEKTROMANYETİK  
DEBİMETRE**  
(AKIŞ ORANI: 10-200 LT/MIN.)

**ELECTROMAGNETIC  
FLOWMETER**  
(FLOW RATE: 10-200 LT/MIN.)

**CAUDALÍMETRO  
ELECTROMAGNÉTICO**  
(CAUDAL: 10-200 LT/MIN.)



KOD CODE - CÓDIGO	Bağlantı Connection - Conexión
POL00377053.TOY	S5 Dişi - S5 Erkek Segman Bağlantılı S5 Female - S5 Male Fork Connection Conexión De Horquilla Hembra S5 - Macho S5